



**Flint West  
Genesee County Public Information Meeting  
June 25, 2013**

All remediation activities have been and will continue to be developed in consultation with and approved by the USEPA. Initial Site remediation funding was approximately \$3,200,000, and approximately \$3,000,000 remains available.

**2011 Site Activities**

As part of the Resource Conservation and Recovery Act (RCRA) Corrective Action (CA) process, the following activities were completed in 2011:

- Prepared and received USEPA approval of investigation work plan.

**2012 Site Activities**

Continued implementation of the RCRA CA process throughout 2012, including:

- Completed initial phase of site investigation, including:
  - 14 soil borings,
  - 52 soil samples,
  - 8 monitoring wells,
  - 21 groundwater samples, and
  - Primary constituents of concern in soil and groundwater are Chlorinated Volatile Organic Compounds.

**2013 Site Activities**

Continued implementation of the RCRA CA process throughout 2013, including:

- Completed second phase of site investigation, including:
  - 5 soil borings,
  - 7 soil samples,
  - 1 new monitoring well, and
  - 12 groundwater samples.
- Preparing scope for additional investigation, including some routine groundwater monitoring.
- Working through access agreement with the City of Flint to allow for installation of 2 downgradient monitoring wells.

**Potential Remediation Strategy**

After assessing the information from the Site investigation, follow-up groundwater monitoring, and developing and evaluating various remediation alternatives, the potential remediation strategy may include:

- **Land Use Restrictions**: Limit future use of the entire Site to non-residential, requiring site-wide contaminated soil management, incorporating site-wide vapor exposure restrictions, and health and safety requirements for intrusive activities.
- **Groundwater Use Restrictions**: Prohibit the use of groundwater.
- **Monitored Plume Stability**: Implement a groundwater monitoring program to confirm plume stability. Preserve the existing ground surface cover to minimize infiltration and to avoid a change in current conditions. This will maximize the likelihood that the groundwater plume will remain stable.

# Flint West

